

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	82331	(receiv\$3 near6 ((tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:34
S2	82320	(receiv\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
S3	35027	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
S4	32023	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:37
S5	110641	((receiv\$3 or determin\$3 or send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:38
S6	8535	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:20
S7	409	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:52

S8	225	((receive\$3 near6 ((N-tuple near3 address) or packet)) and (determine\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and ((compare\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad< "20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:18
S9	399	((receive\$3 near6 (address or packet)) and (determine\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and ((compare\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad< "20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:19
S10	796	((receive\$3 near6 (address or packet)) and (determine\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and ((compare\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:21
S11	752	((receive\$3 near6 (address or packet)) and (determine\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and ((compare\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:22

S12	272	((receive\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compare\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:23
S13	192	((receive\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compare\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor))) and (add\$3 or modify\$3) near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:29
S14	217	((receive\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compare\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor))) and (add\$3 or modify\$3) near3 (address or header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:34

S15	105	((receive\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header) and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:36
S16	0	((receive\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header) and (firewall.ti.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:37
S17	33	((receive\$3 near6 (header or packet)) and (determin\$3 near6 (header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (header or packet)) and (compar\$4 near6 (header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41
S18	506	(firewall).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41

S19	328	{(firewall).ti. and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 19:30
S20	16747	{(firewall) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:42
S21	4308	{(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:43
S22	2488	{(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:44
S23	199	{(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet)) and (hash near3 function)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:52
S24	2	("20020166063" "7010696").PN.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:00
S25	169	{symantec}.as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
S26	0	{symantec}.as. and S23	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
S27	1	{symantec}.as. and S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11
S28	82319	{(receiv\$3 near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11
S29	2264	{(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:13
S30	2076	{(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and (determin\$3 or send\$3 or forward\$3) near6 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14
S31	2076	{(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14

S32	0	((receive\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determine\$3 or send\$3 or forward\$3) near6 packet) and (determine\$3 near3 (header near3 space)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
S33	822	((receive\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determine\$3 or send\$3 or forward\$3) near6 packet) and (determine\$3 near3 (header)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
S34	24	((receive\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determine\$3 or send\$3 or forward\$3) near6 packet) and (determine\$3 near3 (header))) and firewalls and hash\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:22
S35	103	((receive\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determine\$3 or send\$3 or forward\$3) near6 packet) and (determine\$3 near3 (header))) and hash\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:39
S36	15152	(processor or device or computer) near3 receive\$3 near3 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:40
S37	3396	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:41
S38	696	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:42
S39	4485961	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43
S40	472	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43

S41	309	((processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address and @ad<"20031114"	USPAT	OR	ON	2007/12/06 15:10
S42	6719	((router or computer or processor) near6 (receive\$3 near3 packet))	USPAT	OR	ON	2007/12/06 16:17
S43	778	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header))	USPAT	OR	ON	2007/12/06 16:17
S44	79	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modify\$4 near3 packet))	USPAT	OR	ON	2007/12/06 16:18
S45	52	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modify\$4 near3 packet)) and (compare\$4)	USPAT	OR	ON	2007/12/06 16:18
S46	14583	((router or computer or processor) near6 (receive\$3 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
S47	1574	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
S48	141	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modify\$4 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:18

S49	97	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4)	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19
S50	75	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4) and @ad<"20031114"	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19
S51	10632	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:26
S52	7075	((proxy or agent or firewall or router) near6 (receiv\$3 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:25
S53	6299	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:27
S54	429	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:38
S55	17	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:29
S56	405	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:40

S57	287	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:40
S58	192	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 18:46
S59	3	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:08
S60	39358	(firewalls or (hash near3 function))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
S61	4064	(firewalls or (hash near3 function)) and (packet near3 header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
S62	4011	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
S63	3315	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
S64	995	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet) and (((determin\$3 or evaluat\$3) near6 (header))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:52

S65	242	((firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:53
S66	111	((firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space)))	USPAT; IBM_TDB	OR	ON	2007/12/06 18:53
S67	102	((firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))) and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
S68	5	((firewalls and (hash near3 function)) and (packet near3 header) and (rout\$3 or send \$3 or forward\$3) and (receiv \$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))) and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
S69	0	((hash adj function) and (modulo adj division) and firewall	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
S70	5	((hash adj function) and (modulo adj division)	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
S71	172	((firewall).ti. and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:30
S72	26	((firewall clusters)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S73	82	((firewall near3 clusters)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S74	51	((firewall near3 clusters) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S75	4	((firewall near3 cluster) near (nodes terminals)	US-PGPUB; USPAT	OR	OFF	2008/11/06 07:46
S76	4	((firewall near3 cluster) near (nodes terminals)	US-PGPUB; USPAT	OR	ON	2008/11/06 07:46

S77	278	{(firewall) near (nodes terminals)}	US-PGPUB; USPAT	OR	ON	2008/11/06 07:48
S78	171	{(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmi\$6 send\$3)}	US-PGPUB; USPAT	OR	ON	2008/11/06 07:49
S79	209	{(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmi\$6 send\$3 header address data process\$3)}	US-PGPUB; USPAT	OR	ON	2008/11/06 07:50
S80	131	{(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmi\$6 send\$3 header address data process\$3) and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 07:50
S81	144	{(firewall) near (nodes terminals cluster) same (packet receive\$3 select\$3 transmi\$6 send\$3 header address data process\$3) and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 07:51
S82	2	((("6160811") or ("7299353")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/06 07:55
S83	11656	{(firewall same (LAN network)) and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:06
S84	112	{(firewall same (LAN network)).ti. and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:06
S85	6	{(firewall same (nodes terminals)).ti. and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:12
S86	6	{(firewall near3 (nodes terminals)).ti. and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:14
S87	482	{(firewall near3 (nodes terminals) and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:15
S88	86	{(firewall adj (nodes terminals) and @ad< "20031114" }	US-PGPUB; USPAT	OR	ON	2008/11/06 08:15
S89	21	{(firewall adj (nodes terminals) and @ad< "20031114" and (one more) near3 firewalls}	US-PGPUB; USPAT	OR	ON	2008/11/06 08:16
S90	14	{(firewall adj (nodes terminals) and @ad< "20031114" and (two more) near3 firewalls}	US-PGPUB; USPAT	OR	ON	2008/11/06 08:16

S91	242	{(number near5 (NACK ACK)) near5 (time)}	US-PGPUB; USPAT	OR	OFF	2008/11/06 13:46
S92	469	{(number near5 (NACK ACK)) near5 (time)}	US-PGPUB; USPAT	OR	ON	2008/11/06 13:46
S93	443	{(number near5 (NACK ACK)) near5 (time) and (threshold value)}	US-PGPUB; USPAT	OR	ON	2008/11/06 13:46
S94	12	{(number near5 (NACK ACK)) near5 (time) and (threshold value) and (header near3 (compress\$3 decompress \$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 13:48
S95	1	("6889261").URPN.	USPAT	OR	OFF	2008/11/06 13:52
S96	12	{(number near5 (NACK ACK)) near5 (time) and (threshold value) and (header near6 (compress\$3 decompress \$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 13:54
S97	24	("20020027897" "5533004" "5717689" "6084888"). PN. OR ("6615382").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/06 13:59
S98	145	{(header near3 (compress\$3 decompress\$3)).ti.}	US-PGPUB; USPAT	OR	OFF	2008/11/06 14:39
S99	167	{(header near3 (compress\$3 decompress\$3)).ti.}	US-PGPUB; USPAT	OR	ON	2008/11/06 14:39
S100	148	{(header near3 (compress\$3 decompress\$3)).ti. and (packet near3 (transmi\$6 send\$3 receiv\$3 indicat\$3 signal\$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 14:40
S101	10	{(header near3 (compress\$3 decompress\$3)).ti. and (packet near3 (transmi\$6 send\$3 receiv\$3 indicat\$3 signal\$3)) and (mode near3 (switch\$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 14:43
S102	13	{(header near6 (compress\$3 decompress\$3)).ti. and (packet near6 (transmi\$6 send\$3 receiv\$3 indicat\$3 signal\$3)) and (mode near6 (switch\$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 14:43
S103	449	{(header near6 (compress\$3 decompress\$3)) and (packet near6 (transmi\$6 send\$3 receiv\$3 indicat\$3 signal \$3)) and (mode near6 (switch\$3))}	US-PGPUB; USPAT	OR	ON	2008/11/06 14:44

S104	116	{(header near6 (compress\$3 decompress\$3)) and (packet near6 (transmit\$6 send\$3 receive\$3 indicate\$3 signal\$3)) and (mode near6 (switch\$3)) and (@ad< "20000815")	US-PGPUB; USPAT	OR	ON	2008/11/06 14:44
S105	2	((("7185041") or ("6880089")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/15 11:50
S106	140	{(firewall near5 cluster)	US-PGPUB; USPAT	OR	OFF	2009/11/02 13:36
S107	170	{(firewall near5 cluster)	US-PGPUB; USPAT	OR	ON	2009/11/02 13:36
S108	180	{(firewall near5 cluster\$3)	US-PGPUB; USPAT	OR	ON	2009/11/02 13:36
S109	0	{(firewall near5 cluster\$3) and ((modify\$8 change\$3 alter\$3) near6 (firewall near3 (node cluster)))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:37
S110	13	{(firewall near5 cluster\$3) and ((modify\$8 change\$3 alter\$3) near6 (address near4 packet))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:38
S111	296	{(firewall near6 (modify\$8 change\$3 alter\$3) near6 (packet address header destination source))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:53
S112	157	{(firewall near6 (modify\$8 change\$3 alter\$3) near6 (packet address header destination source)) and (second near4 (packet address))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:53
S113	142	{(firewall near6 (modify\$8 change\$3 alter\$3) near6 (packet address header destination source)) and (second near3 (packet address))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:54
S114	19	{(firewall near6 (modify\$8 change\$3 alter\$3) near6 (packet address header destination source)) and (second near4 (packet address) near5 (modify\$8 change\$3 alter\$3))	US-PGPUB; USPAT	OR	ON	2009/11/02 13:54

S115	9	(firewall near6 (modifi\$8 chang\$3 alter\$3) near6 (packet address header destination source)) and (second near4 (packet address) near5 (modifi\$8 chang\$3 alter\$3)) and @ad<"20031114"	US-PGPUB; USPAT	OR	ON	2009/11/02 13:55
S116	8	(firewall near6 (modifi\$8 chang\$3 alter\$3) near6 (packet address header destination source)) and (second near4 (packet address) near5 (modifi\$8 chang\$3 alter\$3)) and @riad<"20031114"	US-PGPUB; USPAT	OR	ON	2009/11/02 13:55
S117	3	(firewall near6 (modifi\$8 chang\$3 alter\$3) near6 (packet address header destination source)) and (second near4 (packet address) near5 (modifi\$8 chang\$3 alter\$3)) and @riad<"20031114"	US-PGPUB; USPAT	OR	ON	2009/11/02 13:58
S118	162	(modulo near3 division) and (hash near3 function)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/07/18 20:21
S137	1	("20060221966").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2010/07/27 13:25

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S119	164	(modulo near3 division) and (hash near3 function)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:21
S120	2784	(packet near3 process\$3) same (determin\$3 near6 address)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:23
S121	1	(packet near3 process\$3) same (determin\$3 near6 address) and S119	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:24
S122	9272	(determin\$3 near6 (packet near5 address))	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:24
S123	4	(determin\$3 near6 (packet near5 address)) and S119	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:25

S124	1202	(modulo near3 division)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:25
S125	12	(modulo near3 division) and S122	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:25
S126	317	(modulo adj division)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:30
S127	184	(modulo adj division) and @ad<"20031114"	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:31
S128	16	(modulo adj division) and @ad<"20031114" and (hash)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:31
S129	984	(firewall near3 node)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:37
S130	1	(firewall near3 node) and S122 and S124	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:38
S131	1	(firewall near3 node) and S124	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:38
S132	79	(firewall near3 node) and S122	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:38
S133	1	(firewall near3 node) and S124	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:38
S134	25	(firewall) and S124	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:39
S135	5	(firewall) and S122 and S124	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:39
S136	2	(firewall) and S122 and S124 and (hash\$3)	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/18 20:40

7/27/2010 4:04:57 PM

C:\Documents and Settings\sdaftuar\My Documents\EAST\Workspaces\10712396recovered.wsp